

OFFICE OF THE FULTON COUNTY ENGINEER

9120 County Road 14
Wauseon, Ohio 43567-9669

Telephone: 419-335-3816

www.fultoncountyoh.com/engineer.htm

Fax: 419-335-1091

Frank T. Onweller, P.E., P.S.
County Engineer

Rod Creager, P.E., P.S.
Chief Deputy Engineer

June 30, 2015

ADDENDUM 1

Fulton County 2015 Asphalt Resurfacing

RE: Revised Bid Schedule and Engineer's Estimate

- A. Please attach the revised Bid Schedule to the proposal. Revisions were made to –
 - 1. Delete two duplicate bid items under the Gorham Township section.
 - 2. Under the Fulton County sections for Road 10-3, Road 11, and Road F, the Smoothseal overlay has been changed to an Asphalt Concrete Surface Course overlay. This change also resulted in a change in the quantities for Aggregate Shoulder Reconditioning.
- B. The changes described above result in a revision of the Engineer's Estimate to \$1,394,162.00.

End of addendum.

2015 Asphalt Resurfacing

UNIT PRICE BID SCHEDULE

The undersigned having full knowledge of the site, plans, specifications, and supplemental specifications for the above named improvement and the conditions of this proposal, hereby agrees to furnish all services, labor, materials, and equipment necessary to complete the entire project, according to the plans, specifications, supplemental specifications, and completion dates, and to accept the unit prices specified below for each item as full compensation for the work in this proposal.

Date set for completion: **October 30, 2015**
 Engineer's Estimate: \$ **1,394,162.00**

The "**TOTAL AMOUNT OF THE BID**", BASED ON THE "**Approximate Unit Quantities**" given below times the unit prices specified by the Bidder amounts to the sum of:

_____ and /100 DOLLARS (\$ _____)

BIDDER: _____

REF. NO.	ITEM NO.	QUANTITY	UNITS	DESCRIPTION	UNIT PRICE	ESTIMATED COST
Amboy Township						
Simon Avenue Surface Overlay 1,040' x Various Widths						
1	202	100	S.Y.	Pavement Removed for Buttjoints.....	\$ _____	\$ _____
2	407	173	GAL.	Tack Coat.....	\$ _____	\$ _____
3	448	90	C.Y.	Asphalt Concrete Surface Course, Type 1; 1.5" depth.....	\$ _____	\$ _____
4	617	20	C.Y.	Aggregate Shoulder Reconditioning, 1.5' Width x 2" depth.....	\$ _____	\$ _____
5	103	1	LUMP	Premium for Contract Performance & Maintenance Guarantee Bond.... For Amboy Section only, no special bond is required. This line item is for OPWC billing purposes only.	\$ _____	\$ _____
6	614	1	LUMP	Maintaining Traffic.....	\$ _____	\$ _____

Fulton Township

Road 3 (J to K) Widening Widening to 22' 5,267' x 18' Existing Width

7	203	328	C.Y.	Excavation for Pavement Widening, 2' each side, 5" depth.....	\$ _____	\$ _____
8	204	2,345	S.Y.	Subgrade Compaction of Widening Trench.....	\$ _____	\$ _____
9	301	328	C.Y.	Asphalt Concrete Base, 2' each side, 5" depth.....	\$ _____	\$ _____
10	103	1	LUMP	Premium for Contract Performance & Maintenance Guarantee Bond.... For Fulton Section only, no special bond is required. This line item is for OPWC billing purposes only.	\$ _____	\$ _____
11	614	1	LUMP	Maintaining Traffic.....	\$ _____	\$ _____

Dover Township

Road 16 (L to M) Leveling and Surface Overlays 3,200' x 19'

12	202	63	S.Y.	Pavement Removed for Buttjoints.....	\$ _____	\$ _____
13	407	1081	GAL.	Tack Coat.....	\$ _____	\$ _____
14	448	187	C.Y.	Asphalt Concrete Leveling Course, Type 1; 1" depth.....	\$ _____	\$ _____
15	448	197	C.Y.	Asphalt Concrete Surface Course, Type 1; 1.5" depth.....	\$ _____	\$ _____
16	617	104	C.Y.	Aggregate Shoulder Reconditioning, 1.5' Width x 2.5" depth.....	\$ _____	\$ _____
17	103	1	LUMP	Premium for Contract Performance & Maintenance Guarantee Bond.... For Dover Section only, no special bond is required. This line item is for OPWC billing purposes only.	\$ _____	\$ _____
18	614	1	LUMP	Maintaining Traffic.....	\$ _____	\$ _____

**Dover Drive
Leveling and Surface Overlays
2,430' x 25'**

19	202	171	S.Y.	Pavement Removed for Buttjoints.....	\$ _____	\$ _____
20	202	190	S.Y.	Residential Concrete Driveways Sawcut and Removed.....	\$ _____	\$ _____
21	204	190	S.Y.	Subgrade Compaction, Residential Drives.....	\$ _____	\$ _____
22	407	1080	Gal.	Tack Coat.....	\$ _____	\$ _____
23	448	293	C.Y.	Asphalt Concrete Intermediate Course, Type 1; 1.5" depth.....	\$ _____	\$ _____
24	448	300	C.Y.	Asphalt Concrete Surface Course, Type 1; 1.5" depth.....	\$ _____	\$ _____
25	448	10	C.Y.	Asphalt for Residential Driveways Approaches.....	\$ _____	\$ _____
26	452	190	S.Y.	Non-Reinforced Portland Cement Concrete Pavement.....	\$ _____	\$ _____
27	Special	1	LUMP	Manhole Adjustment.....	\$ _____	\$ _____
28	617	68	C.Y.	Aggregate Shoulder Reconditioning, 1.5' Width x 3" depth.....	\$ _____	\$ _____
29	103	1	LUMP	Premium for Contract Performance & Maintenance Guarantee Bond.... For Dover Section only, no special bond is required. This line item is for OPWC billing purposes only.	\$ _____	\$ _____
30	614	1	LUMP	Maintaining Traffic.....	\$ _____	\$ _____

Gorham Township

**Road R (23 to Fayette)
Widening to 20', Leveling and Surface Overlays
2,978' x 17' Existing**

31	202	248	S.Y.	Pavement Removed for Buttjoints.....	\$ _____	\$ _____
32	203	182	C.Y.	Excavation for Pavement Widening, 2' each side, 5" depth.....	\$ _____	\$ _____
33	204	1310	S.Y.	Subgrade Compaction of Widening Trench.....	\$ _____	\$ _____
34	301	182	C.Y.	Asphalt Concrete Base, 2' each side, 5" depth.....	\$ _____	\$ _____
35	407	760	GAL.	Tack Coat.....	\$ _____	\$ _____

36	448	153	C.Y.	Asphalt Concrete Leveling Course, Type 1; 1" depth, 20.5' width.....	\$	\$
37	448	240	C.Y.	Asphalt Concrete Surface Course, Type 1; 1.5" depth, 20' width.....	\$	\$
38	617	80	C.Y.	Aggregate Shoulder Reconditioning, 1.5' width.....	\$	\$
39	617	100	C.Y.	Dirt Shoulder Reconditioning.....	\$	\$
40	659	588	S.Y.	Seeding and Mulching.....	\$	\$
41	103	1	LUMP	Premium for Contract Performance & Maintenance Guarantee Bond.... For Gorham Section only, no special bond is required. This line item is for OPWC billing purposes only.	\$	\$
42	614	1	LUMP	Maintaining Traffic.....	\$	\$

Swancreek Township

**Road EF (5-2 to 6-3) - OPWC Funded
Base Reclamation and Intermediate Overlay
5845' x Various Widths**

43	202	256	S.Y.	Pavement Removed for Buttjoints.....	\$	\$
44	Special	1	Lump	Mix Design for Full Depth Reclamation.....	\$	\$
45	Special	12672	S.Y.	Full Depth Reclamation.....	\$	\$
46	Special	176	TON	Portland Cement.....	\$	\$
47	408	4435	GAL.	Prime Coat.....	\$	\$
48	408	76	TON	Choke Aggregate.....	\$	\$
49	407	21	GAL.	Tack Coat.....	\$	\$
50	448	705	C.Y.	Asphalt Concrete Intermediate Course, Type 2; 2" depth.....	\$	\$
51	411	8	C.Y.	Stabilized Crushed Aggregate for Drives.....	\$	\$
52	617	163	C.Y.	Aggregate Shoulder Reconditioning, 1.5' Width.....	\$	\$

53	103	1	Lump	Premium for Contract Performance & Maintenance Guarantee Bond....	\$ _____	\$ _____
				For Swancreek Sections only, no special bond is required. This line item is for OPWC billing purposes only.		
54	614	1	Lump	Maintaining Traffic.....	\$ _____	\$ _____
55	623	1	Lump	Construction Layout Staking.....	\$ _____	\$ _____

**Road EF (6-3 to Bridge EF6-3.1) - Non OPWC Funded
Base Reclamation and Intermediate Overlay
245' x 20'**

56	202	20	S.Y.	Pavement Removed for Buttjoints.....	\$ _____	\$ _____
57	Special	525	S.Y.	Full Depth Reclamation.....	\$ _____	\$ _____
58	Special	12	TON	Portland Cement.....	\$ _____	\$ _____
59	408	210	GAL.	Prime Coat.....	\$ _____	\$ _____
60	408	4	TON	Choke Aggregate.....	\$ _____	\$ _____
61	407	2	GAL.	Tack Coat.....	\$ _____	\$ _____
62	448	29	C.Y.	Asphalt Concrete Intermediate Course, Type 2; 2" depth.....	\$ _____	\$ _____
63	617	7	C.Y.	Aggregate Shoulder Reconditioning, 1.5' Width.....	\$ _____	\$ _____

Fulton County

**County Road 1-2 (EF to F) and Road F (1-2 to Road 1)
Surface Milling, Repairs, Intermediate and Surface Overlays
5,300' x 20.8'**

64	202	78	S.Y.	Pavement Removed for Buttjoints.....	\$ _____	\$ _____
65	253	92	C.Y.	Repair Sections - Various Areas 1,500' X 4.0' X 5" depth.....	\$ _____	\$ _____
66	254	12,250	S.Y.	Surface Planing- Wearing Course Removal 5,300' X 20.8' X 2" depth....	\$ _____	\$ _____
67	407	1,960	GAL.	Tack Coat.....	\$ _____	\$ _____
68	448	542	C.Y.	Asphalt Concrete Intermediate Course, Type 1; 1.5" depth.....	\$ _____	\$ _____

69	448	543	C.Y.	Asphalt Concrete Surface Course, Type 1; 1.5" depth.....	\$	\$
70	448	10	C.Y.	Asphalt Concrete Surface Course For Drives, Type 1; 1.5" depth.....	\$	\$
71	617	196	C.Y.	Aggregate Shoulder Reconditioning.....	\$	\$

County Road 10-3 (US20 to Lyons Corp. Limit)

Surface Overlay

9,290' x 21.5'

72	202	50	S.Y.	Pavement Removed for Buttjoints.....	\$	\$
73	407	1,775	GAL.	Tack Coat.....	\$	\$
74	448	925	C.Y.	Asphalt Concrete Surface Course, Type 1; 1.5" depth.....	\$	\$
75	617	172	C.Y.	Aggregate Shoulder Reconditioning.....	\$	\$

County Road 11 (Road F to US 20A)

Surface Overlay

5,390' x 21'

76	202	47	S.Y.	Pavement Removed for Buttjoints.....	\$	\$
77	407	1,006	GAL.	Tack Coat.....	\$	\$
78	448	524	C.Y.	Asphalt Concrete Surface Course, Type 1; 1.5" depth.....	\$	\$
79	617	100	C.Y.	Aggregate Shoulder Reconditioning.....	\$	\$

County Road F (Road 11 to Wauseon Corp. Limit)

Surface Overlay

11,645' x 20.9'

80	202	200	S.Y.	Pavement Removed for Buttjoints.....	\$	\$
81	407	2,163	GAL.	Tack Coat.....	\$	\$
82	448	1,130	C.Y.	Asphalt Concrete Surface Course, Type 1; 1.5" depth.....	\$	\$
83	617	217	C.Y.	Aggregate Shoulder Reconditioning.....	\$	\$

**County Road 23 (Elmira to Road J)
Repairs and Surface Overlay
7,525' x 24.7'**

84	202	112	S.Y.	Pavement Removed for Buttjoints.....	\$ _____	\$ _____
85	253	124	C.Y.	Repair Sections - Various Areas 2,000' X 4.0' X .417.....	\$ _____	\$ _____
86	407	1,652	GAL.	Tack Coat.....	\$ _____	\$ _____
87	448	865	C.Y.	Asphalt Concrete Surface Course, Type 1; 1.5" depth.....	\$ _____	\$ _____
88	617	185	C.Y.	Aggregate Shoulder Reconditioning.....	\$ _____	\$ _____

**County Road E (Road 13 to Wauseon Corp. Limit)
Surface Milling, Intermediate and Surface Overlays
2,640' x 23.9'**

89	202	54	S.Y.	Pavement Removed for Buttjoints.....	\$ _____	\$ _____
90	254	7,027	S.Y.	Surface Planing- Wearing Course Removal 2,640' X 23.9' X 2" depth...	\$ _____	\$ _____
91	407	1,124	GAL.	Tack Coat.....	\$ _____	\$ _____
92	448	194	C.Y.	Asphalt Concrete Intermediate Course, Type 1; 1" depth.....	\$ _____	\$ _____
93	448	312	C.Y.	Asphalt Concrete Surface Course, Type 1; 1.5" depth.....	\$ _____	\$ _____
94	617	98	C.Y.	Aggregate Shoulder Reconditioning.....	\$ _____	\$ _____
95	448	1	C.Y.	Asphalt Concrete Surface Course For Drives, Type 1; 1.5" depth.....	\$ _____	\$ _____

**Bridge 13-1US20.6
Intermediate and Surface Overlays
34' x 18'**

96	408	27	GAL.	Prime Coat applied @ .40 gal / S.Y.....	\$ _____	\$ _____
97	407	6	GAL.	Tack Coat.....	\$ _____	\$ _____
98	448	4	C.Y.	Asphalt Concrete Intermediate Course, Type 2; 1.75" depth.....	\$ _____	\$ _____
99	448	3	C.Y.	Asphalt Concrete Surface Course, Type 1; 1.5" depth.....	\$ _____	\$ _____

Culvert 21-3B.6
Intermediate and Surface Overlays
33' x 20'

100	408	30	GAL.	Prime Coat applied @ .40 gal / S.Y.....	\$ _____	\$ _____
101	407	6	GAL.	Tack Coat.....	\$ _____	\$ _____
102	448	4	C.Y.	Asphalt Concrete Intermediate Course, Type 2; 1.75" depth.....	\$ _____	\$ _____
103	448	3	C.Y.	Asphalt Concrete Surface Course, Type 1; 1.5" depth.....	\$ _____	\$ _____

Incidentals

104	103	1	LUMP	Premium for Contact Performance and Maintenance Guarantee Bond For All Fulton County Sections	\$ _____	\$ _____
105	614	1	LUMP	Maintenance of Traffic for Fulton County Sections.....	\$ _____	\$ _____

TOTAL AMOUNT OF BID..... \$ _____

In submitting the Bid, the Bidder represents, that the Bidder has examined and carefully studied the Bidding Documents, and the other related data identified in the Bidding Documents, and the following Addenda, receipt of all, which is hereby acknowledged.

Addendum No. **Addendum Date**

Respectfully submitted:

Attest: _____
 Corporation Seal

_____ Company

_____ Date

_____ By _____ Title