

Product	Manufacturer	Product type	Signal Word	Active Ingredient	Rate of Application (unit is per acre foot water unless noted)	When to Apply	Method of Application	Drinking	Swimming	Fish	Lactating	Meat	Turf	Forage	Field Crops
Navigate	Applied Biochemist	G	Caution	27.6 % Buoxyethyl ester, 2,4-Dichlorophenoxyacetic acid	100-200 pounds per surface acre	Spring early summer when weeds start to grow.	Water pH of more than 8.0 can reduce control. Use a fertilizer spreader or mechanical seeder. Spread uniformly over area to be treated. Can divide amount to be spread in half and apply in two application at right angles to each other.	5			5	5	5	5	5
Aqua-Kleen	Cerexagri	G	Caution	27.6% 2,4-Dichlorophenoxyacetic Acid	100-200 pounds per surface acre	Apply spring or early summer when weeds start to grow	Water pH of more than 8.0 can reduce control. Use a fertilizer spreader or mechanical seeder. Spread uniformly over area to be treated. Can divide amount to be spread in half and apply in two application at right angles to each other.								
Weedar 64	Nufarm	L	Danger	2,4-D amine	2-4 quarts per		Spray weed mass. Thoroughly wet foliage.	21					21	21	21
Sonar AS	SePro	L	Caution	41.7% Fluridone	1.0-7.7 ounces		Add sonar to water in the spray tank. Surface or subsurface application can be made. Spray volume 5-100 gallons per acre.						30	30	30
Sonar SRP	SePro	G	Caution	5.0% Floridone	2.5-5 pounds per surface acre		Maybe applied to entire surface area	0 at 150 ppb	0	0	0	0	30	30	30
Sonar PR	SePro	G	Caution	5.0% Floridone	0.9-5 pounds per surface acre		Maybe applied to entire surface area	0 at 150 ppb	0	0	0	0	30	30	30
Sonar Q	SePro	G	Caution	5.0% Floridone			Maybe applied to entire surface area	0 at 150 ppb	0	0	0	0	30	30	30
AquaPro	SePro	L	Caution	53.8% glyphosate	5-8% solution in low volume spray	to foliage	Ensure 50% of leaf area contacted by spray								
Aquamaster	Monsanto	L	Caution	53.8% Glyphosate	5-8 % solution	to foliage	Mix with water and use surfactant.								
Eagre	Agrisel	L	Caution	53.8% glyphosate											
Glypro	Dow AgroScience	L	Caution	53.8% glyphosate	1-12 fl oz per gal of water	to foliage	Mix with water and use surfactant.								
Rodeo	Dow AgroScience	L	Caution	53.8% glyphosate	5-8% solution in low volume spray	to foliage	Mix with water and use surfactant.								
Pondmaster Surface and Shoreline	PBI Gordon	L	Caution	18% Glyphosate	3.5-9 ounces per gallon	apply to foliage									
Prepared by Greg La Barge, OSU Extension-Fulton County, 419-337-9210															