

OFFICE OF THE FULTON COUNTY ENGINEER

9120 County Road 14
Wauseon, Ohio 43567-9669

Telephone: 419-335-3816

www.fultoncountyoh.com/engineer.htm

Fax: 419-335-1091

Frank T. Onweller, P.E., P.S.
County Engineer

Rod Creager, P.E., P.S.
Chief Deputy Engineer

April 26, 2017

ADDENDUM 2

Fulton County 2017 Seal Coat Program

RE: Engineer's estimate, Updated wage rate, removal of proposal pages, dimensions, additional specifications & quantities.

1. Engineer's estimate
The new Engineer's estimate is \$900,286.56
2. Updated wage rate
Please attach the updated wage rates to the proposal.
3. Removal of proposal pages
Please disregard page numbers 69 through 135 in the PDF proposal.
4. Dimensions
The correct length for Fulton County Road 24 (Village Limits to State line) is 9,770' and width is 22'.
5. Additional specifications
Please refer ODOT CMS item number 405 to the 1997 ODOT specifications.
6. Quantities
Please note the following changes & attach the revised Unit Price bid Sheet to the proposal.
Ref. #104 correct quantity is 4,677.7 Gallons
Ref. #105 correct quantity is 125.3 Cubic Yards
Ref. #106 correct quantity is 1603.8 Gallons
Ref. #134 correct quantity is 639.1 Gallons
Ref. #182 correct quantity is thickness is 1.5"
Ref. #184 correct dimensions are 1.5" x 2.5"
Ref. #234 correct quantity is 2,031.2 Gallons

End of addendum.

Road 10-2 / 10-3 (Road M to Road N)

6,485' x 20'7"

54	409	5,190	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
55	409	155	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
56	special	1,780	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -
57	642	1.20	mile	4" waterbased centerline - type 1	\$ -	\$ -
58	642	2.40	mile	4" waterbased edgeline - type 1	\$ -	\$ -

Road 10-3 (Road N to US 20)

5,325' x 20'8"

59	409	4,280	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
60	409	127	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
61	special	1,468	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -
62	642	1.00	mile	4" waterbased centerline - type 1	\$ -	\$ -
63	642	2.00	mile	4" waterbased edgeline - type 1	\$ -	\$ -

Road 12 (State Route 120 to State Line)

5,600' x 18'2"

64	409	3,957	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
65	409	118	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
66	special	1,357	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -
67	642	1.00	mile	4" waterbased centerline - type 1	\$ -	\$ -
68	642	2.00	mile	4" waterbased edgeline - type 1	\$ -	\$ -

Road 24 (Village Limits to State Line)

9,770' x 22'

69	409	8,359	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
70	409	249	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
71	special	2,866	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -
72	642	1.85	mile	4" waterbased centerline - type 1	\$ -	\$ -
73	642	3.70	mile	4" waterbased edgeline - type 1	\$ -	\$ -

Road 14 (Road M to Road L)

3,335' x 20'3"

74	409	2,626	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
75	409	78	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
76	special	901	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -
77	642	0.63	mile	4" waterbased centerline - type 1	\$ -	\$ -
78	642	1.26	mile	4" waterbased edgeline - type 1	\$ -	\$ -
79	103	1	Lump	Premium for Contract Performance & Maintenance Bond.....	\$ -	\$ -
80	614	1	Lump	Maintaining Traffic for all Fulton County Sections.....	\$ -	\$ -

Amboy Township

Road 6 (SR 120 to State Line)

2,135' x 19'9"

81	409	1,640	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
82	409	44	C.Y.	Washed No.9 Cover Aggregate @ 22.5 Lbs. / S.Y.	\$ -	\$ -
83	special	562	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -
84	642	0.40	mile	4" waterbased centerline - type 1	\$ -	\$ -
85	642	0.80	mile	4" waterbased edgeline - type 1	\$ -	\$ -

Road 3 (SR 120 to State Line)

1,900' x 21'

86	409	1,552	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$	-	\$	-
87	409	42	C.Y.	Washed No. 9 Cover Aggregate @ 22.5 Lbs. / S.Y.	\$	-	\$	-
88	special	532	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$	-	\$	-
89	642	0.36	mile	4" waterbased centerline - type 1	\$	-	\$	-
90	642	0.72	mile	4" waterbased edgeline - type 1	\$	-	\$	-

Road 4-3 (US 20 to Road N)

5,235' x 20'5"

91	409	4,157	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$	-	\$	-
92	409	111	C.Y.	Washed No. 9 Cover Aggregate @ 22.5 Lbs. / S.Y.	\$	-	\$	-
93	special	1,425	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$	-	\$	-
94	642	1.00	mile	4" waterbased centerline - type 1	\$	-	\$	-
95	642	2.00	mile	4" waterbased edgeline - type 1	\$	-	\$	-

Road 2 (Road S to Road T)

5,305' x 22'3"

96	409	4,590	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$	-	\$	-
97	409	123	C.Y.	Washed No. 9 Cover Aggregate @ 22.5 Lbs. / S.Y.	\$	-	\$	-
98	special	1,574	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$	-	\$	-
99	642	1.00	mile	4" waterbased centerline - type 1	\$	-	\$	-
100	642	2.00	mile	4" waterbased edgeline - type 1	\$	-	\$	-

Road 2 (Road S to US 20)

5,304' x 19' 7"

101	special	1,385	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$	-	\$	-
102	642	1.00	mile	4" waterbased centerline - type 1	\$	-	\$	-
103	642	2.00	mile	4" waterbased edgeline - type 1	\$	-	\$	-

Road U (County Line to Corporation Limit)

5,365 x 22'5"

104	409	4,678	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$	-	\$	-
105	409	125	C.Y.	Washed No. 9 Cover Aggregate @ 22.5 Lbs. / S.Y.	\$	-	\$	-
106	special	1,603.8	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$	-	\$	-
107	642	1.00	mile	4" waterbased centerline - type 1	\$	-	\$	-
108	642	2.00	mile	4" waterbased edgeline - type 1	\$	-	\$	-
109	103	1	Lump	Premium for Contract Performance & Maintenance Bond.....	\$	-	\$	-
110	614	1	Lump	Maintaining Traffic for all Amboy Township Sections.....	\$	-	\$	-

Chesterfield Township

Road 15-1 (US 20 to Road ST)

6,932' x 16'.5"

111	409	4,423.8	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$	-	\$	-
112	409	131.7	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$	-	\$	-
113	special	1,517	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$	-	\$	-

Road 14-2 (US 20 to Road N)

5,400' x 18'

114	409	3,780.0	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$	-	\$	-
115	409	112.5	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$	-	\$	-
116	special	1,296	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$	-	\$	-

				3,970' x 17'		
117	409	2,624.6	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
118	409	78.1	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
119	special	899.9	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -

Road T (Road 16 to Road 16-3)

4,742' x 18'3"

120	409	3,365.5	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
121	409	100.2	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
122	special	1,153.9	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -

Road N (Road 13 to Road 14)

5,334' x 18'

123	409	3,733.8	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
124	409	111.1	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
125	special	1,280.2	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -

Road RS (Road 16-3 to SR 108)

6,400' x 17'3"

126	409	4,293.3	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
127	409	127.8	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
128	special	1,472.0	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -

Road RS (SR 108 to US 20)

5,250' x 17'

129	409	3,470.8	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
130	409	103.3	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
131	special	1,190.0	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -

Road N (Road 14 to Road 14-2)

2,663' x 18'

132	409	1,864.1	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
133	409	55.5	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
134	special	639.1	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -

Road N (Road 14-2 to SR 108)

2,637' x 18'

135	409	1,845.9	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
136	409	54.9	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
137	special	632.9	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -

138	103	1	Lump	Premium for Contract Performance & Maintenance Bond.....	\$ -	\$ -
139	614	1	Lump	Maintaining Traffic for all Chesterfield Township Sections.....	\$ -	\$ -

Franklin Township

Road JK (Road 23 to Dead End)

1540' x 14'

140	409	958	GAL.	Bituminous Material, HF RS2 @ 0.40 Gallon / S.Y.	\$ -	\$ -
141	409	25	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
142	special	288	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -
143	103	1	Lump	Premium for Contract Performance & Maintenance Bond.....	\$ -	\$ -
144	614	1	Lump	Maintaining Traffic for all Franklin Township Sections.....	\$ -	\$ -

Road U (Road 12 to SR 109)

16,025' x 17'6"

176	409	10,906.0	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
177	409	324.6	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
178	special	3,739	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -
179	642	3.03	mile	4" waterbased centerline - type 1	\$ -	\$ -

Road RS (Road 10-3 to Bridge West of Road 11-2)

4,090' x 16'9"

Bituminous Cold Mix Leveling & Surface course

180	202	54.0	S.Y.	Pavement grinding of butt joints	\$ -	\$ -
181	405	211.0	C.Y.	Cold mix bituminous 1" # 57 leveling course	\$ -	\$ -
182	405	317.0	C.Y.	Cold mix bituminous 1.5" # 8 surface course	\$ -	\$ -
183	405	33	C.Y.	Choke for cold mix overlay surface @ 10lbs. / S.Y. - with #9 stone	\$ -	\$ -
184	617	105	C.Y.	Aggregate shoulder reconditioning, 1.5" width x 2.5" depth	\$ -	\$ -
185	642	0.77	mile	4" waterbased centerline - type 1	\$ -	\$ -
186	642	1.54	mile	4" waterbased edge line - type 1	\$ -	\$ -
187	103	1	Lump	Premium for Contract Performance & Maintenance Bond.....	\$ -	\$ -
188	614	1	Lump	Maintaining Traffic for all Royalton Township Sections.....	\$ -	\$ -

Swanecreek Township

Road 4-1 (Road A to Road B)

5,385' x 20'

189	409	4,188	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
190	409	125	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
191	special	1,436	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -
192	642	1.00	mile	4" waterbased centerline - type 1	\$ -	\$ -

Road 5-2 (Road F to SR 20A)

5,620' x 18'8"

193	409	4,080	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
194	409	121	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
195	special	1,400	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -
196	642	1.00	mile	4" waterbased centerline - type 1	\$ -	\$ -

Road 6 (Road EF to Road F)

1,990' x 16' 3"

197	409	1,258	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
198	409	37	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
199	special	431	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -
200	642	0.38	mile	4" waterbased centerline - type 1	\$ -	\$ -

Road 6-3 (Road EF to Road F)

2,620' x 17'5"

201	409	1,775	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$ -	\$ -
202	409	52.8	C.Y.	Washed No. 8 Cover Aggregate @ 25 Lbs. / S.Y.	\$ -	\$ -
203	special	609	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$ -	\$ -
204	642	0.50	mile	4" waterbased centerline - type 1	\$ -	\$ -

Road 10 (Road F to Worthington)

1,741' x 30'

234	409	3,031.2	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$	-	\$	-
235	409	54.4	C.Y.	Washed No. 9 Cover Aggregate @ 22.5 Lbs. / S.Y.	\$	-	\$	-
236	special	696.4	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$	-	\$	-
237	642	0.33	mile	4" waterbased centerline - type 1	\$	-	\$	-
238	642	0.66	mile	4" waterbased edgeline - type 1	\$	-	\$	-

Road 12 (Road D to Road E)

2,465' x 19'5"

239	409	1,861.6	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$	-	\$	-
240	409	49.9	C.Y.	Washed No. 9 Cover Aggregate @ 22.5 Lbs. / S.Y.	\$	-	\$	-
241	special	638.3	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$	-	\$	-
242	642	1.00	mile	4" waterbased centerline - type 1	\$	-	\$	-
243	642	2.00	mile	4" waterbased edgeline - type 1	\$	-	\$	-

Road 12 (Road F to SR 2)

5,305' x 17'2"

244	409	3,542.3	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$	-	\$	-
245	409	94.9	C.Y.	Washed No. 9 Cover Aggregate @ 22.5 Lbs. / S.Y.	\$	-	\$	-
246	special	1,214.5	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$	-	\$	-
247	642	1.00	mile	4" waterbased centerline - type 1	\$	-	\$	-
248	103	1	Lump	Premium for Contract Performance & Maintenance Bond.....	\$	-	\$	-
249	614	1	Lump	Maintaining Traffic for all York Township Sections.....	\$	-	\$	-

Village of Fayette

Gorham Street (Main Street to Industrial Parkway)

2,625' x 18'8"

250	409	1,906	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$	-	\$	-
251	409	51	C.Y.	Washed No.9 Cover Aggregate @ 22.5 Lbs. / S.Y.	\$	-	\$	-
252	special	654	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$	-	\$	-

Allen Street (Cherry Street to Fayette Street)

300' x 16'6"

253	409	193	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$	-	\$	-
254	409	5	C.Y.	Washed No. 9 Cover Aggregate @ 22.5 Lbs. / S.Y.	\$	-	\$	-
255	special	66	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$	-	\$	-

Spring Street (Eagle Street to Lawrence Street)

300' x 15'8"

256	409	183	GAL.	Bituminous Material, HF RS2 @ 0.35 Gallon / S.Y.	\$	-	\$	-
257	409	5	C.Y.	Washed No. 9 Cover Aggregate @ 22.5 Lbs. / S.Y.	\$	-	\$	-
258	special	63	GAL.	Fog Seal, SS 1H @ 0.12 Gallon / S.Y.	\$	-	\$	-
259	103	1	Lump	Premium for Contract Performance & Maintenance Bond.....	\$	-	\$	-
260	614	1	Lump	Maintaining Traffic for all Village of Fayette Sections.....	\$	-	\$	-

Prevailing Wage Rate Skilled Crafts

Name of Union: Bricklayer Local 3

Change # : LCN01-2017fbLoc3

Craft : Bricklayer Effective Date : 04/26/2017 Last Posted : 04/26/2017

Classification	BHR	Fringe Benefit Payments						Irrevocable Fund		Total PWR	Overtime Rate
		H&W	Pension	App Tr.	Vac.	Annuity	Other	LECET (*)	MISC (*)		
Bricklayer	\$29.25	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$47.84	\$62.47
Stone Mason	\$29.25	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$47.84	\$62.47
Pointer Caulker Cleaner	\$29.25	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$47.84	\$62.47
Refractory Worker	\$29.25	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$47.84	\$62.47
IMPROVER 1st 6 months	\$17.55	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$36.14	\$44.92
Improver 2nd 6 months	\$20.48	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$39.07	\$49.31
Improver 3rd 6 months	\$21.94	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$40.53	\$51.50
Improver 4th 6 months	\$23.40	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$41.99	\$53.69
Improver 5th 6 months	\$26.33	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$44.92	\$58.09
Improver 6th 6 months	\$27.79	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$46.38	\$60.28
Apprentice	Percent										
1st 6 months	50.00	\$14.63	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$33.22	\$40.53
2nd 6 months	55.00	\$16.09	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$34.68	\$42.72
3rd 6 months	60.00	\$17.55	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$36.14	\$44.92
4th 6 months	70.00	\$20.47	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$39.07	\$49.30
5th 6 months	75.00	\$21.94	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$40.53	\$51.50
6th 6 months	80.00	\$23.40	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$41.99	\$53.69
7th 6 months	90.00	\$26.32	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$44.92	\$58.08
8th 6 months	95.00	\$27.79	\$6.99	\$10.85	\$0.75	\$0.00	\$0.00	\$0.00	\$0.00	\$46.38	\$60.27

Mason Trainee 1st 90 Days	45.00	\$13.16	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$13.16	\$19.74
Mason Trainee 91 to 365 Days	45.00	\$13.16	\$6.99	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$20.15	\$26.73
Mason Trainee 2nd Year	50.00	\$14.63	\$6.99	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$21.62	\$28.93

Special Calculation Note :

Boatswain Chair and Swing Stage (\$1.00) above journeyman rate.

Radial Smoke Stacks (\$.50) above journeyman rate.

Improver work force cannot exceed 20% on any one job.

Ratio :

- 1 Journeyman to 1 Apprentice
- 2-6 Journeyman to 2 Apprentices
- 7-12 Journeyman to 3 Apprentices
- 13-18 Journeyman to 4 Apprentices

Jurisdiction (* denotes special jurisdictional note) :

FULTON, HENRY, LUCAS, WOOD*

MASON TRAINEE

- 1 Apprentice permits 1 Mason Trainee
- 2 Apprentices permits 1 Mason Trainee
- 2 Apprentices permits 2 Mason Trainee
- 3 Apprentices permits 2 Mason Trainee

Special Jurisdictional Note : In Wood County the following townships are included: (Perrysburg, Ross, Lake, Troy, Freedom, Montgomery, Webster, Portage, Middleton, Plain, Liberty, Henry, Washington, Weston, Milton, Jackson and Grand Rapids).

Details :

BAT Registered Apprentices must be employed prior to hiring Mason Finisher (s).

IMPROVERS ARE IN AN APPROVED APPRENTICESHIP PROGRAM. Under no condition may a Mason Finisher work on a job site unless a registered apprentice is on the job site.